


Products

More than 50 countries cooperation and projects

800 series



840 series



801 series



850 series



820 series



851 series



810 series



860 series



830 series



861 series




831 series



870 series



880 series



890 series



800




Unidirectional Sealing
Light Seat replaceable

QB series Unidirectional Seal Knife Gate Valve/Light Seat Replaceable

Model:	QBZ73X
Working Pressure:	DN50-DN100 16bar DN125-DN200 14bar DN250-DN300 12Bar DN350-DN400 10bar DN450-DN550 8bar DN600-DN650 5bar DN700-DN750 4bar DN800-DN900 3bar DN1000 2bar
Type:	Wafer,Lug,Flange
Design Standard:	MSS SP-81
Flange Standard:	PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face:	MSS SP-81
Testing Standard:	API-598
Transmission:	manual, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material:	F55,F53,2205,SS310,CF3M,CF3,CF8M,CF8,WCB,GGG40
Disc material:	F55,F53,2205,SS310,SS316L,SS304
Sealing material:	NBR,NR,EPDM,FKM,Metal to Metal
Packing:	PTFE,high water based,rubber packing,graphite
Applicable medium:	Applicable for general purpose.

801



Unidirectional Sealing
Heavy Seat replaceable

QV series Unidirectional Seal Knife Gate Valve/Heavy Seat Replaceable

Model:	QVZ73X
Working Pressure:	DDN50-DN100 16bar DN125-DN200 14bar DN250-DN300 12Bar DN350-DN400 10bar DN450-DN550 8bar DN600-DN650 5bar DN700-DN750 4bar DN800-DN900 3bar DN1000 2bar
Type:	Wafer,Lug
Design Standard:	MSS SP-81
Flange Standard:	DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face:	MSS SP-81
Testing Standard:	API-598
Operation:	handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material:	F55,F53,2205,SS310,CF3M,CF3,CF8M,CF8,GGG40
Disc material:	F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material:	NBR,NR,EPDM,FKM,Metal to Metal
Packing:	PTFE,high water based,rubber packing,graphite
Applicable medium:	Applicable for sugar, paper, sewage, tailings, slagging, and other general purpose.

810



Bi-directional Sealing
Disc Through The Type

QC series Bi-directional Seal Knife Gate Valve/Disc Through the type

Model:	QCZ73X
Working Pressure:	DDN50-DN100 16bar DN125-DN200 14bar DN250-DN300 12Bar DN350-DN400 10bar
Type:	Wafer
Design Standard:	MSS SP-81
Flange Standard:	DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face:	MSS SP-81
Testing Standard:	API-598
Operation:	handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material:	WCB,CF8M,CF8
Disc material:	F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material:	NBR,NR,EPDM,FKM,Metal to Metal
Packing:	PTFE,high water based,rubber packing,graphite
Applicable medium:	Applicable for paper, asphalt, tailings, slagging, cement, slime, Dust,Solid Particles, deslagging and so on.

830



Bi-directional Sealing
Self Sealing

QW series Bi-directional Self-sealing Knife Gate Valve

Model: QWZ73X
Working Pressure: DN50-DN100 16bar
 DN125-DN200 10bar
 DN250-DN400 7bar
 DN450-DN500 5Bar
 DN600-DN700 3bar
 DN800 2bar
Type: Wafer
Design Standard: MSS SP-81
Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material: GGG40
Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material: NR,NBR,EPDM,**Polyurethane**
Packing: PTFE,high water based,rubber packing,graphite
Applicable medium: **Applicable for mud, pulp, tailings, cyclones and so on.**

831




Bi-directional Sealing
Self Sealing Medium Pressure

QWL series Bi-directional Self-sealing Knife Gate Valve/Medium Pressure

Model: QWLZ53X
Working Pressure: DN50-DN800 20bar
 DN900-DN1000 10bar
Type: Lug
Design Standard: MSS SP-81
Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material: GGG40
Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material: NBR,NR
Packing: PTFE,high water based,rubber packing,graphite
Applicable medium: **Applicable for Mud, pulp, tailings, cyclones and so on.**

840



Bi-directional Sealing
Fully Enclosed
Medium Pressure

QWY series Bi-directional Seal Knife Gate Valve/Fully Enclosed Medium Pressure

Model: QWYZ43X
Working Pressure: DN300-DN500 20bar
 DN550-DN800 16bar
 DN850-DN1000 10bar
 DN1100-DN2000 8bar
Type: Flange
Design Standard: MSS SP-81
Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material: F55,F53,2205,SS310,CF3M,CF3,CF8M,CF8,WCB
Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material: NBR,NR,EPDM,
Packing: PTFE,high water based,rubber packing,graphite
Applicable medium: **Applicable for sudge boat, cutter suction boat, mud and so on.**

820



Bi-directional
Sealing Grooveless

QU series 1PC Body Bi-directional seal Knife Gate Valve Grooveless

Model: QUZ73X
Working Pressure: DN50-DN100 16bar DN600-DN650 5bar
 DN125-DN200 14bar DN700-DN750 4bar
 DN250-DN300 12bar DN800-DN900 3bar
 DN350-DN400 10bar DN1000 2bar
 DN450-DN550 8bar
Type: Wafer
Design Standard: MSS SP-81
Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material: GGG40
Disc material: SS316L,SS304
Sealing material: NBR,NR,EPDM,FKM
Packing: PTFE,high water based,rubber packing,graphite
Applicable medium: Applicable for sewage treatment, paper, sedimentation tanks, mud and so on.

890



Bi-directional Sealing
Grooveless Wear-resistant

QS series 1PC Body Bi-directional seal Knife Gate Valve Grooveless Wear-Resistant

Model: QSZ73X
Working Pressure: DN50-DN100 10bar
 DN125-DN200 8bar
 DN250 5bar
Type: Wafer
Design Standard: MSS SP-81
Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material: GGG40
Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material: NBR,NR,EPDM,FKM
Seat Cover: Polyurethane
Packing: PTFE,high water based,rubber packing,graphite
Applicable medium: Applicable for sewage treatment, paper, sedimentation tanks, mud and so on.

850



Bi-directional Sealing
2PC Body Grooveless

QM series 2PC Body Bi-directional seal Knife Gate Valve Grooveless

Model: QMZ73X
Working Pressure: DN50-DN200 16bar
 DN250-DN600 10bar
 DN650-DN700 8bar
 DN750-DN1000 6bar
Type: Wafer
Design Standard: MSS SP-81
Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material: F55,F53,2205,SS310,CF3M,CF3,CF8M,CF8,WCB,GGG40
Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material: NBR,NR,EPDM,FKM
Packing: PTFE,high water based,rubber packing,graphite
Applicable medium: Applicable for high pressure, pulp, sewage treatment, paper, sedimentation tank, mud, tailings and so on.

851



Bi-directional Sealing
Polyurethane Lined

QP series 2PC Body Bi-directional seal Polyurethane lined Knife Gate Valve

Model: QPZ73PU
Working Pressure: DN50-DN200 16bar
 DN250-DN600 10bar
 DN650-DN700 8bar
Type: Wafer
Design Standard: MSS SP-81
Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear
Main material: CF8M,CF8,WCB,GGG40
Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304
Sealing material: Polyurethane
Packing: PTFE,high water based,rubber packing,graphite
Applicable medium: Applicable for mineral processing, sewage, tailings, slag, seawater, and other acid and alkali, wear, media conditions, such as cyclone.

860



Unidirectional Sealing

QY/QYL series

Unidirectional seal Knife Gate Valve

Model: QYZ73X

Working Pressure: QY DN50-DN150 10bar
DN200 8bar
DN250-DN300 6bar
DN350-DN400 5bar
DN450-DN600 3bar
DN700-DN1400 2bar

QYL DN50-DN2000 16bar
DN2200-DN3000 10bar

Type: Wafer,Lug,Flange

Design Standard: MSS SP-81

Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D

Face to Face: MSS SP-81

Testing Standard: API-598

Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear

Main material: F55,F53,2205,SS310,CF3M,CF3,CF8M,CF8,WCB,GGG40

Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304

Sealing material: NBR,NR,EPDM,FKM,Metal to Metal

Packing: PTFE,high water based,rubber packing,graphite

Applicable medium: Applicable for steam, sewage, high pressure pipes,gas,air and so on.
Bi-directional seal available

861



Unidirectional Sealing

QVY series

Unidirectional seal Knife Gate Valve

Model: QVYZ73X

Working Pressure: DN50-DN2000 25bar
DN2200-DN3000 16bar

Type: Wafer,Lug,Flange

Design Standard: MSS SP-81

Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D

Face to Face: MSS SP-81

Testing Standard: API-598

Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear

Main material: F55,F53,2205,SS310,CF3M,CF3,CF8M,CF8,WCB,GGG40

Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304

Sealing material: NBR,NR,EPDM,FKM,Metal to Metal

Packing: PTFE,high water based,rubber packing,graphite

Applicable medium: Applicable for steam, sewage, high pressure pipes and so on.
Bi-directional seal available

870



Unidirectional Sealing

QH series

Unidirectional seal Knife Gate Valve

Model: QXZ43X

Working Pressure: DN150-DN400 6-10bar
DN450-DN550 4-7bar
DN600-DN800 3-5bar
DN850-DN900 1-2bar

Type: Flange

Design Standard: MSS SP-81

Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D

Face to Face: MSS SP-81

Testing Standard: API-598

Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear

Main material: Q235,Stainless Steel

Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304

Sealing material: NBR,NR,EPDM,FKM,Metal to Metal

Packing: PTFE,high water based,rubber packing,graphite

Applicable medium: Dust,Solid Particles,Coal, oil, chemical and so on.

880



Unidirectional Sealing

QD series

Unidirectional seal Knife Gate Valve

Model: QDZ43X

Working Pressure: DN150-DN200 10bar
DN250-DN400 7bar
DN450-DN550 5bar
DN600-DN700 3bar

Type: Flange

Design Standard: MSS SP-81

Flange Standard: DIN PN10,PN16,150LB ,JIS 10K,TABLE E/D

Face to Face: MSS SP-81

Testing Standard: API-598

Operation: handwheel, electric, pneumatic, hydraulic, sprocket, electro-hydraulic, gear

Main material: Q235,Stainless Steel

Disc material: F55,F53,2205,SS310,SS316L,SS316,SS304

Sealing material: NBR,NR,EPDM,FKM,Metal to Metal

Packing: PTFE,high water based,rubber packing,graphite

Applicable medium: Dust,Solid Particles,Coal, oil, chemical and so on.Slag, cinder,dislagging recommend.